



- Notes:
1. MEDIA: 100% SPUNBOND POLYESTER WITH PTFE MEMBRANE
 2. APPROX. 100 SF MEDIA
 3. OPEN TOP / OPEN BOTTOM CARTRIDGE
 4. 22 GA. GALVANIZED END CAPS
 5. OUTER BANDS AND INNER EXPANDED METAL 72% MIN. OPEN AREA
 6. 3/8" X 3/8" X 9.50" I.D. GASKET

General Equipment Layout	
APPROVAL DRAWING	
SIGNATURE:	DATE:
TITLE:	
PLEASE RETURN ONE COPY APPROVED	

PART# 130013

This drawing and the designs depicted therein are the property of U.S. Air Filtration Inc. of Ontario, California, and are covered by issued and / or pending U.S. and foreign patents. This material is provided to you subject to the condition that it shall not be reproduced, copied, or manufactured or manufacturers of similar articles, sent or otherwise disposed of, directly or indirectly. It shall not be used for any other purpose without the express written consent of U.S. Air Filtration Inc. All rights reserved. U.S. Air Filtration Inc. is not responsible for any errors or omissions in this drawing or parts thereon, except where otherwise specifically provided for by contract with U.S. Air Filtration Inc.

APPROVED BY:	DATE:	CORPORATE OFFICE:	EASTERN REGIONAL OFFICE:	SCALE:	N.T.S.	DUST COLLECTION SPECIALIST:	DRAWN BY:
DESIGNED BY:	DATE:	10275 Dade County 75202 (888) 221-0312 (903) 656-8900	Naples, FL 34110 (260) 486-7399 FAX (260) 465-2150	U.S. AIR FILTRATION CARTRIDGE FILTER	9/7/20	C. WATSON	C. WATSON
				12.75" DIA x 26" SPUNBOND POLY W/ PTFE MEMBRANE		U.S. AIR FILTRATION	
				U.S. AIR FILTRATION		DRAWING NUMBER 130013	

U.S. Air Filtration, Inc.